

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (canceled).

Claim 2 (currently amended): A method for mapping objects onto a lightweight directory access protocol repository, comprising~~The method of claim 1;~~

requesting that an object be stored in a lightweight directory access protocol ("LDAP") repository, wherein the object includes attributes and is used in an object-oriented programming application;

retrieving a list of persistent attributes from the object, wherein the persistent attributes are a subset of the attributes and wherein the persistent attributes each comprise a persistent attribute value;

determining a path, wherein the path identifies a location in the LDAP repository;

retrieving the persistent attribute values from the object; and

storing the object in the LDAP repository so that the persistent attributes are stored in a format that is useable by applications other than the object-oriented programming application, wherein storing the object in the LDAP repository comprises:

mapping the persistent attributes to LDAP attributes;

passing the persistent attribute values to the LDAP repository;

storing the persistent attribute values in the LDAP attributes at the path based on the mapping.

Claim 3 (original): The method of claim 2, wherein the persistent attributes each have a name and wherein mapping the persistent attributes to LDAP attributes comprises adding a prefix to the persistent attribute name.

Claim 4 (original): The method of claim 3, wherein the prefix identifies the object-oriented programming application and an organization.

Claim 5 (original): The method of claim 2, wherein the persistent attribute values are passed to the LDAP repository as an LDAP object comprising the LDAP attributes and the persistent attribute values.

Claim 6 (currently amended): The method of claim 4, wherein the object-oriented programming application has a name and the object has a name and wherein the path includes the object-oriented programming application name, a container name and the object name.

Claim 7 (currently amended): The method of claim 4, wherein the object represents one of the following: a user, a node, a node group, a role or a tool.

Claim 8 (currently amended): The method of claim 4, wherein the objects are Java objects.

Claim 9 (currently amended): The method of claim 4, wherein the object-oriented programming application is implemented in Java.

Claim 10 (currently amended): The method of claim 9, wherein the persistent attribute values are retrieved from the object using Java reflection.

Claim 11 (original): A method for retrieving objects mapped onto a lightweight directory access protocol repository, comprising:

- requesting that an object be retrieved from a lightweight directory access protocol ("LDAP") repository, wherein the object includes attributes and is used in an object-oriented programming application;

- retrieving a list of persistent attributes from the object, wherein the persistent attributes are a subset of the attributes and the persistent attributes each comprise a persistent attribute value;

- determining a path, wherein the path identifies a location in the LDAP repository;

- retrieving the persistent attribute values from the location in the LDAP repository identified by the path; and

- setting the persistent attributes in the object with the retrieved persistent attribute values.

Claim 12 (original): The method of claim 11, wherein retrieving the persistent attribute values from the LDAP repository comprises invoking an LDAP read method and passing the path with the read method invocation to the LDAP repository.

Claim 13 (original): The method of claim 11, wherein the objects are Java objects.

Claim 14 (original): The method of claim 11, wherein the object-oriented programming application is implemented in Java and wherein Java reflection is used to implement the setting step.

Claim 15 (canceled).

Claim 16 (currently amended): A computer readable medium containing instructions for mapping objects onto a lightweight directory access protocol repository, by~~The computer readable medium of claim 15;~~

requesting that an object be stored in a lightweight directory access protocol ("LDAP") repository, wherein the object includes attributes and is used in an object-oriented programming application;

retrieving a list of persistent attributes from the object, wherein the persistent attributes are a subset of the attributes and the persistent attributes each comprise a persistent attribute value;

determining a path, wherein the path identifies a location in the LDAP repository;

retrieving the persistent attribute values from the object; and

storing the object in the LDAP repository so that the persistent attributes are stored in a format that is useable to applications other than the object-oriented programming application, wherein storing the object in the LDAP repository comprises:

mapping the persistent attributes to LDAP attributes;

passing the persistent attribute values to the LDAP repository;

storing the persistent attribute values in the LDAP attributes at the path based on the mapping.

Claim 17 (currently amended): The computer readable medium of claim ~~15~~16, wherein the objects are Java objects.

Claim 18 (currently amended): The computer readable medium of claim ~~15~~16, wherein the object-oriented programming application is implemented in Java and the persistent attribute values are retrieved from the object using Java reflection.

Claim 19 (canceled).

Claim 20 (currently amended): A computer system that supports mapping objects onto a lightweight directory access protocol repository, comprising~~The computer system of claim 19;~~

a lightweight directory access protocol ("LDAP") repository;

a processor that runs an object-oriented programming application, wherein the object-oriented programming application generates:

an object, wherein the object includes attributes and is used in an object-oriented programming application;

a persistent data manager, that acts as a layer between the object and the LDAP repository, wherein the persistent data manager stores the object in the LDAP repository by:

retrieving a list of persistent attributes from the object, wherein the persistent attributes are a subset of the attributes and the persistent attributes each comprise a persistent attribute value;

determining a path, wherein the path identifies a location in the LDAP repository;

retrieving the persistent attribute values from the object; and
storing the object in the LDAP repository so that the persistent attributes are stored in a format that is useable to applications other than the object-oriented programming application, wherein storing the object in the LDAP repository comprises:

mapping the persistent attributes to LDAP attributes;
passing the persistent attribute values to the LDAP repository;
storing the persistent attribute values in the LDAP attributes at the path based on the mapping.